



Are you currently working as a...?

Base: Total

	Position		Years working		Number of patients		Tinnitus Familiarity			Tinnitus Diagnosis		Age		Gender		
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Unweighted Base	102	50*	52*	53*	49*	55*	47*	41*	58*	3**	59*	43*	47*	55*	54*	47*
Yes	102	50	52	53	49	55	47	41	58	3	59	43	47	55	54	47
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
No	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022

How familiar are you with tinnitus?

Base: Total

	Tinnitus Familiarity																
	Position			Years working		Number of patients		Tinnitus Familiarity			Tinnitus Diagnosis		Age		Gender		
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female	
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P		
Unweighted Base	102	50*	52*	53*	49*	55*	47*	41*	58*	3**	59*	43*	47*	55*	54*	47*	
TOP 2 BOX (NET)	99	49	50	52	47	52	47	41	58	0	59	40	46	53	53	45	
	97%	98%	96%	98%	96%	95%	100%	100%	100%	-	100%	93%	98%	96%	98%	96%	
Very familiar	41	15	26	25	16	12	29	41	0	0	28	13	22	19	22	18	
	40%	30%	50%	47%	33%	22%	62%	100%	-	-	48%	30%	47%	35%	41%	38%	
Somewhat familiar	58	34	24	27	31	40	18	0	58	0	31	27	24	34	31	27	
	57%	68%	46%	51%	63%	73%	38%	-	100%	-	53%	63%	51%	62%	57%	57%	
BOTTOM 2 BOX (NET)	3	1	2	1	2	3	0	0	0	3	0	3	1	2	1	2	
	3%	2%	4%	2%	4%	6%	-	-	-	100%	-	7%	2%	4%	2%	4%	
Not very familiar	3	1	2	1	2	3	0	0	0	3	0	3	1	2	1	2	
	3%	2%	4%	2%	4%	6%	-	-	-	100%	-	7%	2%	4%	2%	4%	
Not familiar at all	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022

How often do you diagnose a patient with tinnitus?

Base: Total

	Position															
	Position			Years working		Number of patients		Tinnitus Familiarity			Tinnitus Diagnosis		Age		Gender	
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Unweighted Base	102	50*	52*	53*	49*	55*	47*	41*	58*	3**	59*	43*	47*	55*	54*	47*
WEEKLY (NET)	59	24	35	32	27	28	31	28	31	0	59	0	28	31	31	28
	58%	48%	67%	60%	55%	51%	66%	68%	53%	-	100%	-	60%	56%	57%	60%
Every day or almost every day	7	2	5	4	3	0	7	6	1	0	7	0	4	3	5	2
	7%	4%	10%	8%	6%	-	15%	15%	2%	-	12%	-	9%	6%	9%	4%
2 to 3 times a week	28	9	19	17	11	9	19	18	10	0	28	0	17	11	11	17
	28%	18%	37%	32%	22%	16%	40%	44%	17%	-	48%	-	36%	20%	20%	36%
Once a week or so	24	13	11	11	13	19	5	4	20	0	24	0	7	17	15	9
	24%	26%	21%	21%	27%	35%	11%	10%	35%	-	41%	-	15%	31%	28%	19%
MONTHLY (NET)	30	18	12	16	14	16	14	11	19	0	0	30	13	17	14	15
	29%	36%	23%	30%	29%	29%	30%	27%	33%	-	-	70%	28%	31%	26%	32%
2 to 3 times a month	22	12	10	13	9	12	10	10	12	0	0	22	11	11	10	11
	22%	24%	19%	25%	18%	22%	21%	24%	21%	-	-	51%	23%	20%	19%	23%
Once a month or so	8	6	2	3	5	4	4	1	7	0	0	8	2	6	4	4
	8%	12%	4%	6%	10%	7%	9%	2%	12%	-	-	19%	4%	11%	7%	9%
LESS (NET)	12	8	4	5	7	10	2	2	8	2	0	12	6	6	9	3
	12%	16%	8%	9%	14%	18%	4%	5%	14%	67%	-	28%	13%	11%	17%	6%
Every few months or so	7	5	2	4	3	6	1	1	5	1	0	7	4	3	6	1
	7%	10%	4%	8%	6%	11%	2%	2%	9%	33%	-	16%	9%	6%	11%	2%
A few times a year	4	3	1	1	3	3	1	1	2	1	0	4	2	2	3	1
	4%	6%	2%	2%	6%	6%	2%	2%	3%	33%	-	9%	4%	4%	6%	2%
Less often	1	0	1	0	1	1	0	0	1	0	0	1	0	1	0	1
	1%	-	2%	-	2%	2%	-	-	2%	-	-	2%	-	2%	-	2%
Never	1	0	1	0	1	1	0	0	0	1	0	1	0	1	0	1
	1%	-	2%	-	2%	2%	-	-	-	33%	-	2%	-	2%	-	2%

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022

You may have already mentioned this, but what advice do you provide to patients experiencing tinnitus?

Base: If Not Never In Q3

	Position																
	Position			Years working		Number of patients		Tinnitus Familiarity			Tinnitus Diagnosis		Age		Gender		
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female	
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P		
Unweighted Base	101	50*	51*	53*	48*	54*	47*	41*	58*	2**	59*	42*	47*	54*	54*	46*	
Formal tinnitus management program such as Tinnitus Retraining Therapy	63	24	39	37	26	28	35	33	29	1	42	21	34	29	32	30	
	62%	48%	77%	70%	54%	52%	75%	81%	50%	50%	71%	50%	72%	54%	59%	65%	
Sound therapy	52	25	27	31	21	34	18	16	35	1	32	20	25	27	24	27	
	52%	50%	53%	59%	44%	63%	38%	39%	60%	50%	54%	48%	53%	50%	44%	59%	
Hearing aids	51	25	26	29	22	23	28	24	27	0	30	21	22	29	27	24	
	51%	50%	51%	55%	46%	43%	60%	59%	47%	-	51%	50%	47%	54%	50%	52%	
Cognitive behavioural intervention/therapy	46	20	26	29	17	24	22	20	25	1	29	17	23	23	20	26	
	46%	40%	51%	55%	35%	44%	47%	49%	43%	50%	49%	41%	49%	43%	37%	57%	
Hearing test by ENT/specialist	4	4	0	1	3	2	2	2	2	0	1	3	0	4	3	1	
	4%	8%	-	2%	6%	4%	4%	5%	3%	-	2%	7%	-	7%	6%	2%	
Avoid/cut down on alcohol	2	0	2	2	0	2	0	1	0	1	1	1	2	0	0	2	
	2%	-	4%	4%	-	4%	-	2%	-	50%	2%	2%	4%	-	-	4%	
Other	7	5	2	4	3	7	0	2	4	1	3	4	4	3	4	3	
	7%	10%	4%	8%	6%	13%	-	5%	7%	50%	5%	10%	9%	6%	7%	7%	
I do not provide any advice	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022

And how often would you say you refer/recommend the following for tinnitus management? A specialist (otolaryngology (ENT), Audiologist, Hearing Care Practitioner)

Base: Not Never In Q3

	Position															
	Position			Years working		Number of patients		Tinnitus Familiarty			Tinnitus Diagnosis		Age		Gender	
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	
Unweighted Base	101	50*	51*	53*	48*	54*	47*	41*	58*	2**	59*	42*	47*	54*	54*	46*
Usually (75% to 100% of the time)	21	10	11	10	11	13	8	7	14	0	14	7	8	13	10	10
	21%	20%	22%	19%	23%	24%	17%	17%	24%	-	24%	17%	17%	24%	19%	22%
Often (50% to 74% of the time)	28	12	16	17	11	14	14	11	16	1	16	12	13	15	12	16
	28%	24%	31%	32%	23%	26%	30%	27%	28%	50%	27%	29%	28%	28%	22%	35%
Sometimes (25% to 49% of the time)	32	15	17	16	16	13	19	17	15	0	23	9	17	15	21	11
	32%	30%	33%	30%	33%	24%	40%	42%	26%	-	39%	21%	36%	28%	39%	24%
Rarely (Less than 25% of the time)	4	3	1	1	3	3	1	0	4	0	3	1	0	4	3	1
	4%	6%	2%	2%	6%	6%	2%	-	7%	-	5%	2%	-	7%	6%	2%
Not answered	16	10	6	9	7	11	5	6	9	1	3	13	9	7	8	8
	16%	20%	12%	17%	15%	20%	11%	15%	16%	50%	5%	31%	19%	13%	15%	17%
TOP 3 BOX (NET)	81	37	44	43	38	40	41	35	45	1	53	28	38	43	43	37
	80%	74%	86%	81%	79%	74%	87%	85%	78%	50%	90%	67%	81%	80%	80%	80%
											L					
TOP 2 BOX (NET)	49	22	27	27	22	27	22	18	30	1	30	19	21	28	22	26
	49%	44%	53%	51%	46%	50%	47%	44%	52%	50%	51%	45%	45%	52%	41%	57%
BOTTOM 2 BOX (NET)	36	18	18	17	19	16	20	17	19	0	26	10	17	19	24	12
	36%	36%	35%	32%	40%	30%	43%	42%	33%	-	44%	24%	36%	35%	44%	26%
											L					

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022

What are the two main concerns of patients experiencing tinnitus?

Base: Total

	Base: Total															
	Position			Years working		Number of patients		Tinnitus Familiarity			Tinnitus Diagnosis		Age		Gender	
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Unweighted Base	102	50*	52*	53*	49*	55*	47*	41*	58*	3**	59*	43*	47*	55*	54*	47*
Hearing loss	47	22	25	25	22	19	28	23	23	1	34	13	24	23	27	19
	46%	44%	48%	47%	45%	35%	60%	56%	40%	33%	58%	30%	51%	42%	50%	40%
Interrupts concentration	39	22	17	22	17	24	15	13	26	0	21	18	18	21	22	17
	38%	44%	33%	42%	35%	44%	32%	32%	45%	-	36%	42%	38%	38%	41%	36%
Causes major anxiety	36	16	20	21	15	18	18	18	17	1	21	15	18	18	20	16
	35%	32%	39%	40%	31%	33%	38%	44%	29%	33%	36%	35%	38%	33%	37%	34%
Interrupts sleep	29	18	11	15	14	18	11	8	21	0	13	16	12	17	12	16
	28%	36%	21%	28%	29%	33%	23%	20%	36%	-	22%	37%	26%	31%	22%	34%
Dizziness	20	9	11	9	11	13	7	7	10	3	11	9	7	13	11	9
	20%	18%	21%	17%	22%	24%	15%	17%	17%	100%	19%	21%	15%	24%	20%	19%
Fatigue	12	4	8	6	6	9	3	3	9	0	5	7	4	8	3	9
	12%	8%	15%	11%	12%	16%	6%	7%	16%	-	9%	16%	9%	15%	6%	19%
Headaches	12	5	7	4	8	7	5	3	8	1	5	7	6	6	8	4
	12%	10%	14%	8%	16%	13%	11%	7%	14%	33%	9%	16%	13%	11%	15%	9%
Memory problems	2	1	1	1	1	0	2	2	0	0	2	0	1	1	1	1
	2%	2%	2%	2%	2%	-	4%	5%	-	-	3%	-	2%	2%	2%	2%
Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022

Q10. Based on your experience, what is the most common age group of patients experiencing tinnitus?

Base: Total

	Base: Total															
	Position			Years working		Number of patients		Tinnitus Familiarity			Tinnitus Diagnosis		Age		Gender	
	Total	PCP	NP	0-15	16+	1-100	101+	Very familiar	Somewhat familiar	Not very familiar	Weekly	Monthly or less	18-44	45+	Male	Female
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Unweighted Base	102	50*	52*	53*	49*	55*	47*	41*	58*	3**	59*	43*	47*	55*	54*	47*
Under 18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18 to 39	5	0	5	4	1	1	4	4	1	0	4	1	4	1	2	3
	5%	-	10%	8%	2%	2%	9%	10%	2%	-	7%	2%	9%	2%	4%	6%
			B													
40 to 59	34	18	16	17	17	22	12	13	21	0	23	11	10	24	16	18
	33%	36%	31%	32%	35%	40%	26%	32%	36%	-	39%	26%	21%	44%	30%	38%
														M		
60 to 79	45	25	20	22	23	27	18	14	28	3	16	29	22	23	24	20
	44%	50%	39%	42%	47%	49%	38%	34%	48%	100%	27%	67%	47%	42%	44%	43%
												K				
80 or over	5	4	1	1	4	1	4	0	5	0	3	2	1	4	3	2
	5%	8%	2%	2%	8%	2%	9%	-	9%	-	5%	5%	2%	7%	6%	4%
It affects all age groups the same	13	3	10	9	4	4	9	10	3	0	13	0	10	3	9	4
	13%	6%	19%	17%	8%	7%	19%	24%	5%	-	22%	-	21%	6%	17%	9%
			B					I			L		N			

Proportions/Means: Columns Tested (5% risk level) - B/C - D/E - F/G - H/I/J - K/L - M/N - O/P

Overlap formulae used. \* small base; \*\* very small base (under 30) ineligible for sig testing

PILOT PMR\_HEARING AID AWARENESS STUDY

Maru/Blue

October 18-29, 2022